

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY **REGION V**

DATE: 8/20/87

SUBJECT: Jefferson Conner Revitalization Agect Detroit, MI

FROM: BONNIE L. Eleder RPM, CES

Tom Nowicki ERB

Attached are my comments on your draft letter regarding the above named project. Please call if you've any questions- 6-4885.

Mr. R. Charles Larlham Environmental Design Group 1533 Commerce Drive Stow, Ohio 44224

Nowicki, of my staff, attended this meeting.

Dear Mr. Larlham:

tor-subject line

The Jefferson Comments

The Jefferso We have considered the information provided during the meeting that occurred on July 27, 1987, in Datroit, Michigan.

One of the most important issues is continuation of coordination.

monthly reports At the meeting, periodical updates were proposed. In addition, we would be contacted expeditiously if problems are identified that require immediate attention. The Michigan Department of Natural Resources will have a more prominent role because of their permitting authorities.

At the meeting, technical guidance was requested regarding topics such as "further investigation criteria" and remediation criteria. Ms Kathy Anderson suggested that USEPA provide a document with a title something like "The most common material's I found at $oldsymbol{\mathcal{S}}$ uperfund sites and their cleanup criteria." We have not identified such a document. Unfortunately, we cannot provid a generic list of chemicals and levels for what must be removed $m{\pi}$ and what can remain. This information is project specific.

determine remediation criteria.

library Contains much info. on larvous Chemicals - including: Exposure Assessments

also-Federal and State criteria and standards are used to determine clean-up levels.

results of a site investigation and risk assessment are used to

We regret that we are not able to provide more extensive guidance we at this time. We may be able to provide more extensive technical guidance as we review investigation results and as questions

become more specific.

for example: RI/FS Guidance

to - for example: RI/FS Guidance

Risk Assessment and Godangerment Assessment Guidance

Another issue discussed at the July 27th meeting was our review of quality assurance/quality control plans and health and safety plans. A commitment to our review of these plans was made in this project's environmental impact statement. At the meeting, we noted that we should be given an opportunity to review standard plans and that each contractor's plans must be consistent with the plans that we review. We encourage the City to provide us with these plans as soon as possible.

Chrysler has repeatedly noted the importance of the City assuming all liability for any hazardous materials found at the site.

Chrysler should understand that a situation may arise in which Chrysler's liability may be unavoidable. For example, if contamination is found at levels that would qualify for Superfund status, and, if the materials found could have been generated by Chrysler, Chrysler may be identified as a potentially responsible party, regardless of what agreements exist between the City and Chrysler.

At the meeting on July 27th, our fascimile numbers were requested. Our transmission number is 312-886-9096. The verificaion number is 312-886-3096.

already know I the way this paragraph is conitler is too simplistic misleading that legally

some thing

Iwould

ROMMEND

paragraph or addressin

this issue

including this

Thank you for the opportunity for coordination regarding the Jefferson/Conner project. Please note that, for this project, the principle contact at the USEPA is now myself, rather than Tom Nowicki. My telephone number is FTS/312-886-7500.

Sincerely yours,

Albert . To

William D. Franz, Chief Environmental Review Branch Planning and Management Division

cc: D. Wright, Detroit

B. Eleder, 5HE-12 H. Shakil, MDNR

5ME-14:TNowicki:Disk

Mr. Dave Wright Community and Economic Development Department City of Detroit 150 Michigan Avenue Detroit. Michigan 48226

Mr. Hakim Shakil Michigan Department of Natural Resources 15500 Sheldon Road Northville, Michigan 48167